





3648





**3848/33-
6x4 –
SLEEPER
CAB**

3848 S 6X4

	Paint / Paint Additive	Name
1	9147	arctic white
2		
3		
4		
5		

Tire

	Art / Make / Numbers	Name
1	204K12 80 x 3	12.00 R 24# TT Highway "K"
2	204K12 80 x 4	12.00 R 24# TT Highway "K"
3	204K12 80 x 4	12.00 R 24# TT Highway "K"
4		
5		

Options

AL3	AM6	AR1	A91	BB0	BB6	BB8	BD3	B51	CL9	C63	C69
DS3	EC6	EC7	EC8	EU1	FC7	FE5	FE6	FG1	FL6	FN1	FS2
FS4	FW2	FZ9	F04	F24	F52	GC2	GS3	G81	HF1	H03	JK3
JW0	J10	J58	KH3	KH9	KX6	K40	K45	L30	L42	L58	MA9
MD9	MK7	ML3	MS0	MX5	M49	M78	NH2	N55	P97	QD9	QF8
QJ7	QM8	Q28	Q57	RM8	R47	R60	R87	SF0	SG5	SM5	TR7
XC2	XK3	XQ1	XV6	XW9	XY1	X38	X42	X53	YA8	Y10	Y16
Y20	Y28	ZZ3	Z01								

Options	Optionname
AL3	Front axle 7.5 t
AM6	Rear axle H7, 16.0 t, crown wheel 300
AR1	Axle ratio i = 5.333 (HL7)
A91	Front axle, straight version
BB0	Anti-lock braking system (ABS), disengageable
BB6	Drum brakes on front and rear axle
BB8	Telligent braking system with ABS and ASR
BD3	Brake and electrical connections, high

B51	Independent trailer brake (export)
CL9	Steering LS 6/LS 8
C63	Bumper, steel version
C69	Support bracket for fifth-wheel coupling, extended
DS3	Pop-up roof, electric
EC6	Trailer socket, 15-pin
EC7	Trailer socket, 12 V, 13-pin
EC8	Adapter, 15-pin to 2x7-pin socket
EU1	CD-radio
FC7	Windows, tinted, without sun filter
FE5	Power windows for driver's/co-driver's door
FE6	Cab steps, movable
FG1	Digital clock with alarm function
FL6	Cab mountings, standard
FN1	Distribution cockpit
FS2	Wide-angle mirror on driver's side, heated
FS4	Sunblind, side window in driver's door
FW2	Deletion, immobiliser (transponder)
FZ9	Additional keys or remote-control transmitter
F04	L-cab
F24	Cab rear wall, straight
F52	Sun visor, exterior, transparent
GC2	Transmission G 240-16/11.7-0.69
GS3	Gearshift, hydraulic
G81	Clutch, reinforced
HF1	Construction-site filter
H03	Air conditioning system
JK3	Inst. cluster, graphics-capable display, eco-meter
JW0	Reversing warning device
J10	Speedometer, km
J58	Warning device for seat belts
KH3	Exhaust pipe raised, behind cab
KH9	Exhaust system, repositioned further back
KX6	Main tank, right, 550 l, alumin., large cross-section
K40	Tank-cap lock
K45	Screen, tank filler neck
L30	Protective grilles, headlamps
L42	Marker lights, top
L58	Rotating beacon, yellow
MA9	Engine mountings, for off-road use
MD9	Cruise control
MK7	Speed limiter, electronic, 100 km/h
ML3	High-speed fan, with belt drive
MS0	Engine version, Euro 2
MX5	Engine, V8, LA, 350 kW, 1800 rpm

M49	Tandem air cleaner system
M78	Engine number, stamped-in
NH2	PTO, layshaft MB 131-2c
N55	Transmission oil cooling
P97	Deletion, mudguards, rear
QD9	Front spring, 9,0 t hard, asymmetrical
QF8	Rear spring, 18,0 t, for axle spacing 1450 mm
QJ7	5th-wheel coupling, Jost 38-C1, 3.5-inch,H=190 mm,
QM8	Assembly plate, 40 mm, for 36t 5th-wheel coupling
Q28	Trailer/tow-away coupling, Rockinger
Q57	Tow-away coupling, rear
RM8	Tyre make, specially requested, Michelin
R47	Trilex rims, 8.50-24, for 12.00 R 24
R60	Spare wheel carrier, provisional
R87	Spare wheel/spare wheel rim
SF0	Fold-up seat, co-driver
SG5	Driver's standard suspension seat, Isringhausen
SM5	Luxury bed, bottom
TR7	Weight variant 38.0 t (7.5/16.0/16.0)
XC2	Model plate, Gulf States
XK3	Powertrain warranty,Gen.Terms/Con.,3 yrs/250000 km
XQ1	VIN encoded vehicle data, chassis, Mercedes-Benz
XV6	New Actros
XW9	Deletion, noise reduction measures
XY1	Model year 1
X38	Model identification, acc. to weight variant
X42	Labels/publications, English
X53	Publications, Arabic, additional
YA8	Deletion, front apron
Y10	First aid kit
Y16	Fire extinguisher
Y20	Tool kit
Y28	2 wheel chocks
ZZ3	Vehicle, for right-side traffic
Z01	Country-specific version

Options	Optionname
GZ6	Clutch supplier Valeo
IA5	Wheel arrangement 6x4
IF6	Actros series, production location Wörth
IL2	Export code
MP0	Engine package, for heavy-duty operation